

目次

植物功能物质研究与利用 专辑

过表达大豆类受体蛋白激酶基因 *RLPK2* 促进转基因拟南芥叶片的衰老 张强, 黄卓然, 胡康龙, 许超, 杨青青, 薛涛(729)

黄褐毛忍冬生药学鉴定研究 蒋向辉, 肖龙骞, 杨永平(738)

酮型广藿香 MVA 途径基因表达分析及与主要成分合成相关性研究 康大力, 胡伟明, 欧阳蒲月(745)

两种栽培型广藿香内生真菌群落组成变化 王利国, 肖晶晶, 邓月婷, 崔业旋, 刘志芬(753)

绿色低共熔溶剂提取互叶白千层精油及成分分析 都宏霞, 石巾艺, 王冬娥(762)

广西莪术关键采收月份挥发性成分的差异及动态变化研究 周改莲, 黄盼, 谢雪婷, 王倩, 王乃斌, 鲁毅翔(772)

民族药马利筋内生真菌生物活性研究 殷娜, 宋娜丽, 普晓佳, 顾茜兰, 杨海浩, 万春平, 祁燕, 李小丝, 郑喜(781)

黄花倒水莲花中黄酮苷类成分的分离、鉴定及抗氧化活性研究 李根, 潘争红, 宁德生, 李连春, 符毓夏, 李海云(790)

黄花倒水莲生长与内源激素水平动态变化关系研究 张玉仙, 唐辉, 黄夕洋, 刘宝玉, 李文兰(796)

蔗糖对发根农杆菌 C58C1 诱导烟草毛状根生长的影响 向润, 江龙(802)

蔗糖对列当科两种根部半寄生植物吸器发生的促进作用 李艳梅, 隋晓琳, 薛瑞娟, 李悦, 罗燕, 李爱荣(811)

不同产地川乌炮制前后差异性成分研究 吴丹丹, 刘艳, 郭鹏飞, 匡海学, 杨炳友(820)

广西不同产地金樱根及炮制品中没食子酸和儿茶素的含量差异分析 韦熹苑, 邓琦, 卢小玲, 舒柯, 卓燊, 范家文, 潘思杏(833)

黄芪幼苗根系生长发育与 GR24 和 IAA 的关系 黄晓宇, 庞娟, 陈贵林(845)

石韦不同极性萃取物体外降血糖活性研究 庄远杯, 凌梅娣, 魏爱红, 李榕娣, 刘小敏, 聂华, 张声源(855)

桂枝化学成分研究 靳永亮, 陈冠宜, 刘文琴, 万屏南, 陈钟文, 刘华(860)

钩毛茜草萜醌类化学成分的研究 李银, 黄鸿运, 黄勇, 何燕玲, 汪洋, 李勇军(866)

自交可育甜荞、金苦荞、米苦荞不同品系总黄酮、粗蛋白及其蛋白组分含量研究 冉盼, 杨丽娟, 崔娅松, 蔡齐宗, 夏宇飞, 陈庆富(874)

氧化石墨烯对多年生黑麦草逆境生理及光合特征的影响 洪莹, 毛建越, 赵树兰, 多立安(886)

责任编辑 李莉 周翠鸣 蒋巧媛
责任校对 李莉 周翠鸣 蒋巧媛 邓斯丽
英文编辑/校对 周翠鸣 李莉 邓斯丽 蒋巧媛
封面/版式设计 蒋巧媛 周翠鸣 李莉 邓斯丽

期刊基本参数: CN 45-1134/Q * 1981 * m * A4 * 166 * zh+en * P * ¥45.00 * 1200 * 19 * 2022-05

封面说明: 忍冬属 (*Lonicera*) 隶属于忍冬科 (Caprifoliaceae), 约有 200 种, 多为常绿或落叶的灌木或藤本, 很少为乔木, 主产于北美洲、欧洲、亚洲和非洲北部的温带和亚热带地区, 在亚洲南达菲律宾群岛和马来西亚南部。我国有 98 种, 广布于全国各省区, 以西南部的种类最多。忍冬属植物色彩丰富, 花色艳丽, 果实晶莹, 叶片秀丽, 是花果叶俱优的观赏植物, 其大多叶表皮密集纤毛且具有沟状组织, 具有较强的滞尘能, 是行道树的优选树种。忍冬属内有不少药用植物, 根、茎、叶、花均可入药, 其花具有清热解毒、疏散风热的功效, 可用于痈肿疔疮、喉痹、丹毒、热毒血痢、风热感冒、温病发热, 既是一味药食同源的食材, 又是一种优良的蜜源植物。此外, 忍冬属植物具有抗旱、耐瘠薄、耐盐碱、抗寒等多种抗逆性, 在丘陵、盐碱地和沙滩地带长期种植可以熟化土壤, 增加土壤有机质含量, 具有显著的改良土壤和改善生态环境的作用, 开发利用前景广阔。
照片示: 忍冬属代表植物。1. 淡红忍冬; 2. 贯月忍冬; 3, 4. 忍冬。相关内容详见本期正文 738~744 页蒋向辉等的文章。

1 | 3 |
2 | 4 |

CONTENTS

Special Subject: Plant Functional Material Research and Utilization

Over expression of soybean receptor-like protein kinase *RLPK2* gene from *Glycine max* promotes transgenic *Arabidopsis thaliana* leaf senescence ZHANG Qiang, HUANG Zhuoran, HU Kanglong, XU Chao, YANG Qingqing, XUE Tao(729)

Pharmacognostic identification study of *Lonicera fulvotomentosa* JIANG Xianghui, XIAO Longqian, YANG Yongping(738)

Gene expression analysis of MVA pathway in *Pogostemon cablin* and its correlation with synthesis of main components ... KANG Dali, HU Weiming, OUYANG Puyue(745)

Community composition changes of endophytic fungi from two cultivated species of *Pogostemon cablin* WANG Liguo, XIAO Jingjing, DENG Yueting, CUI Yexuan, LIU Zhifen(753)

Extraction and component analysis of essential oil of *Melaleuca alternifolia* by green deep eutectic solvents DU Hongxia, SHI Jinyi, WANG Donge(762)

Difference and dynamic changes of volatile components in key harvest months of *Curcuma kwangsiensis* ZHOU Gailian, HUANG Pan, XIE Xueting, WANG Qian, WANG Naibin, LU Yixiang(772)

Biological activities of endophytic fungi from *Asclepias curassavica* YIN Na, SONG Nali, PU Xiaojia, GU Qianlan, YANG Haihao, WAN Chunping, QI Yan, LI Xiaosi, ZHENG Xi(781)

Isolation, identification and antioxidant activity of the flavonoid glycosides from *Polygala fallax* flower LI Gen, PAN Zhenghong, NING Desheng, LI Lianchun, FU Yuxia, LI Haiyun(790)

The relationship between the growth of spring shoots and the dynamic changes of endogenous hormones in *Polygala fallax* ZHANG Yuxian, TANG Hui, HUANG Xiyang, LIU Baoyu, LI Wenlan(796)

Effects of sucrose on growth of tobacco hairy roots induced by *Agrobacterium rhizogenes* C58C1 XIANG Run, JIANG Long(802)

Enhancement effects of sucrose on haustorium formation in two root hemiparasitic species of Orobanchaceae LI Yanmei, SUI Xiaolin, XUE Ruijuan, LI Yue, LUO Yan, LI Airong(811)

Different components between *Aconiti Radix* and its processed product from different regions WU Dandan, LIU Yan, GUO Pengfei, KUANG Haixue, YANG Bingyou(820)

Difference analysis on contents of gallic acid and catechin in roots of *Rosa laevigata* and its processed products from different habitats of Guangxi WEI Xiyuan, DENG Qi, LU Xiaoling, SHU Ke, ZHUO Shen, FAN Jiawen, PAN Sixing(833)

Relationship between root growth and development of *Astragalus* seedlings and GR24 and IAA HUANG Xiaoyu, PANG Juan, CHEN Guilin(845)

Hypoglycemic activities of different solvent extracts from *Pyrrosia lingua* *in vitro* ZHUANG Yuanbei, LING Meidi, WEI Aihong, LI Rongdi, LIU Xiaomin, NIE Hua, ZHANG Shengyuan(855)

Chemical constituents of *Cinnamomi Ramulus* JIN Yongliang, CHEN Guanyi, LIU Wenqin, WAN Pingnan, CHEN Zhongwen, LIU Hua(860)

Chemical constituents of anthraquinone from *Rubia oncotricha* LI Yin, HUANG Hongyun, HUANG Yong, HE Yanling, WANG Yang, LI Yongjun(866)

Analysis of total flavonoids, crude protein and its components in different lines of self-fertile common buckwheat, golden tartary buckwheat and rice tartary buckwheat RAN Pan, YANG Lijuan, CUI Yasong, CAI Qizong, XIA Yufei, CHEN Qingfu(874)

Effects of graphene oxide on stress physiological and photosynthetic characteristics of *Lolium perenne* HONG Ying, MAO Jianyue, ZHAO Shulan, DUO Li'an(886)

Cover images: Selective presentation of *Lonicera* plants. 1. *Lonicera acuminata*; 2. *L. sempervirens*; 3, 4. *L. japonica*. For detail, please see the text by JIANG Xianghui et al. on page 738-744.

